

Section 7

Locking Devices

Magnetic Door & Gate Locks

1200 Lb. Magnetic Door Locks	2
600 Lb. Magnetic Door Locks	3
1200 & 600 Lb. Magnetic Gate Locks	4
300 Lb. Mini-Locks, 2000 Lb. Shear Lock	5

Electric Dead-Bolts & Strikes

Electric Dead-Bolt / Electric Strikes	6
---	---

Power Supplies

Altronix Power Supplies.....	7
------------------------------	---


Replacement Parts

Strike Plates / Circuit Boards	8
--------------------------------------	---

Magnetic Door Locks

1200 Lb Door Locks


The DKML (DoorKing Magnetic Lock) series of 1200 Lb. magnetic locks offer a wide range of high quality locking systems and brackets to accommodate most of your access control door locking requirements. These locks are designed for locking doors and are available with LED lock status indicators, relay signaling and built-in delay timers.




DKML-S12-1




DKML-S12-2




BO1-S12




BO2-S12



BO4-S12S6



BO5-S12S6



BO3-S12

1200 Lb. Single Door Locks

DKML-S12-1	299.00
DKML-S12-1L	368.00
DKML-S12-1LT.....	385.00

1200 Lb. Dual Door Locks

DKML-S12-2	584.00
DKML-S12-2L	721.00
DKML-S12-2LT.....	757.00

- "L" includes LED status indicator
- "T" includes built-in timer

Mounting Brackets

BO1-S12 Armature bracket.....	45.50
BO2-S12 L bracket.....	43.50
BO4-S12S6 Angle bracket	32.50
BO5-S12S6 Spacer bar	24.00
BO3-S12 L and Z bracket kit	113.00

Back-up Power Supply / Charger


1215-130 12/24 Volt @ 1 amp.....	229.50
1215-131 12/24 Volt @ 2.5 amp.....	393.50
1215-132 12/24 Volt @ 3 amp.....	493.50
1215-133 12/24 Volt @ 6 amp.....	703.00

- Refer to page 7 for important regulatory listings on the above power supplies
- Enclosure will accommodate two (2) 12-volt SLA, 7 Amp Hour batteries

Magnetic Door Locks

600 Lb Door Locks

The DKML (DoorKing Magnetic Lock) series of 600 Lb. magnetic locks offer a wide range of high quality locking systems and brackets to accommodate most of your access control door locking requirements. These locks are designed for locking doors and are available with LED lock status indicators, relay signaling and built-in delay timers.



1200 Lb. Single Door Locks

DKML-S6-1	270.50
DKML-S6-1L.....	305.00
DKML-S6-1LT.....	335.50

1200 Lb. Dual Door Locks

DKML-S6-2	530.00
DKML-S6-2L.....	599.00
DKML-S6-2LT.....	649.00

600 Lb. Single Door Locks Mortise Mount

DKML-M6-1.....	225.00
DKML-M6-1L.....	245.00
DKML-M6-1LT.....	268.50

- "L" includes LED status indicator
- "T" includes built-in timer

Mounting Brackets

BO1-S6 Armature bracket	45.50
BO2-S6 L bracket.....	43.50
BO4-S12S6 Angle bracket.....	32.50
BO5-S12S6 Spacer bar.....	24.00
BO3-S6 L and Z bracket kit	113.00

Back-up Power Supply / Charger


1215-130 12/24 Volt @ 1 amp.....	229.50
1215-131 12/24 Volt @ 2.5 amp.....	393.50
1215-132 12/24 Volt @ 3 amp.....	493.50
1215-133 12/24 Volt @ 6 amp.....	703.00

- Refer to page 7 for important regulatory listings on the above power supplies
- Enclosure will accommodate two (2) 12-volt SLA, 7 Amp Hour batteries


Magnetic Gate Locks

600 & 1200 Lb Gate Locks

The DKGL (DoorKing Gate Lock) series magnetic locks are designed for outdoor gate applications. The 1200 Lb. lock provides an electrical enclosure with predrilled and tapped conduit holes on the top, bottom, side and back providing easy wiring and installation. The 1200 Lb. gate lock kits include brackets that can be welded for easy installation. The 600 Lb. lock includes a built-in cable assembly for all wiring connections.



1216-081 / 1216-082



1200 Lb. Gate Lock Kits

1216-080.....	374.50
1216-081.....	443.50

- 1216-081 has a built-in signal relay
- Kits include predrilled and tapped mounting brackets

1200 Lb. Gate Locks Only

DKGL-S12-1.....	314.00
DKGL-S12-1L.....	383.00

- "L" includes built-in signal relay

600 Lb. Gate Lock

DKGL-S6-1.....	290.00
----------------	--------




Mounting Brackets

BO1-GL12 Lock bracket.....	32.50
BO2-GL12 Armature bracket.....	28.50

Magnetic Door Locks

300 Lb. Mini-Lock; 2000 Lb. Shear Lock

The 300 Lb. Mini series magnetic locks are available in surface and mortise mount styles. They are ideal for locking interior doors where a minimum holding force is required or where the size of the lock is a factor. The Shear Lock provides both a magnetic and mechanical connection to assure a superior lock and provides up to 2000 Lb. of holding force. This lock is provided with LED lock status indicators and relay signaling.



300 Lb. Locks

DKML-S3-1 Surface Mount.....	227.00
DKML-M3-1 Mortise Mount.....	227.00

2000 Lb. Shear Lock

DKSL-M20-1L Mortise Mount	433.00
---------------------------------	--------

- Includes LED status indicator and signal relay

Back-up Power Supply / Charger


1215-130 12/24 Volt @ 1 amp.....	229.50
1215-131 12/24 Volt @ 2.5 amp.....	393.50
1215-132 12/24 Volt @ 3 amp.....	493.50
1215-133 12/24 Volt @ 6 amp.....	703.00

- Refer to page 7 for important regulatory listings on the above power supplies
- Enclosure will accommodate two (2) 12-volt SLA, 7 Amp Hour batteries

Electric Locks

Dead-Bolts and Strikes


The DoorKing series of electric locks include various models of electric dead bolts, and both fail-safe and fail-secure electric strikes. The electric strikes are suitable for cylindrical locks with a keeper depth of 11/32" (C1 series) or 20/32" (C2 series).



Dead-Bolts Fail-Safe

DKEB-M-1	320.50
DKEB-M-1L	335.50
DKEB-M-1D	335.50
DKEB-M-1LD	350.00

- "L" includes sensor to indicate lock or unlocked condition
- "D" includes door sensor to indicate an open or closed door



Electric Strikes 11/32" Keeper

DKES-C1-1FX	52.00
DKES-C1-1FS	54.00

- FX = Fail-secure
- FS = Fail-safe

Electric Strikes 20/32" Keeper


DKES-C2-1FX	67.00
DKES-C2-1FS	69.50

- FX = Fail-secure
- FS = Fail-safe

Magnetic Lock Accessory

Power Supply / Battery Charger

These power supplies provide backup DC power for magnetic locks when primary (AC) power is interrupted. Each of these power supplies features filtered and electronically regulated outputs, short circuit and thermal overload protection and each has a built-in battery charger for sealed lead acid or gel type batteries. The enclosure will accommodate up to two (2) 12 VDC / 7AH batteries. **Batteries are not included with these systems.**



Altronix Power Supplies

1215-130 AL125ULX..... 229.50

- 12 / 24 Volt DC @ 1 amp

1215-131 AL300 ULX..... 393.50

- 12 / 24 Volt DC @ 2.5 amp
- AC Fail supervision

1215-132 AL400ULX..... 493.50

- 12 Volt DC @ 4 amp
- 24 Volt DC @ 3 amp
- AC Fail supervision

1215-133 AL600ULX..... 703.00

- 12 / 24 Volt DC @ 6 amp
- AC Fail supervision

Agency Listings				
Agency	1215-130	1215-131	1215-132	1215-133
UL 294 Access Control Systems	X	X	X	X
CSA C22.2 No. 205-M1983	X	X	X	X
MEA NYC Dept. of Building Safety	X	X	X	X
NFPA 101 Life Safety	X			
UL 603 Burglar Alarm Systems		X	X	
UL 1069 Hospital Signaling / Nurse Call Equipment		X	X	
UL 1481 Power Supply for Fire Signaling Systems		X	X	X
CSFM California State Fire Marshall Approved		X	X	X
NFPA 72		X	X	X
FM Approved			X	X

Magnetic Lock Replacement Components

Strike Plates & Circuit Boards

Armature (Strike) Plates	
DK-AP1661H for 1200 Lb. Maglocks	61.00
DK-AP1238H for 600 Lb. Maglocks	54.00
DK-AP0832 for 300 Lb. Maglocks.....	47.50
DKML-HP Hardware Kit for Armature Plates	7.00

Circuit Boards	
DKML-S6-1-PCB.....	20.00
DKML-S6-1L-PCB	26.50
DKML-S6-1LT-PCB	42.00
DKML-S12-1-PCB.....	20.00
DKML-S12-1L-PCB	32.00
DKML-S12-1LT-PCB	48.00

